



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/036,999	12/21/2001	Andreas N. Dorsel	10992125-2	6346

7590 07/13/2004
AGILENT TECHNOLOGIES, INC.
Intellectual Property Administration
Legal Department, DL429
P. O. Box 7599
Loveland, CO 80537-0599

EXAMINER

FORMAN, BETTY J

ART UNIT	PAPER NUMBER
----------	--------------

1634

DATE MAILED: 07/13/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/036,999

Applicant(s)

DORSEL ET AL.

Examiner

BJ Forman

Art Unit

1634

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 06 October 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 and 7-20 is/are pending in the application.
- 4a) Of the above claim(s) 12-17 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-11 and 18-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Art Unit: 1634

FINAL ACTION

Status of the Claims

1. This action is in response to papers filed 6 October 2003 in which claims 1-3, 5, 7 were amended, claim 5 was canceled, claims 18-20 were added and a terminal disclaimer was submitted. All of the amendments have been thoroughly reviewed and entered.

The previous rejections in the Office Action dated 3 June 2003, not reiterated below, are withdrawn in view of the amendments or terminal disclaimer. Applicant's arguments have been thoroughly reviewed and are discussed below as they apply to the instant grounds for rejection. New grounds for rejection, necessitated by amendment are discussed.

Claims 12-17 are withdrawn from prosecution.

Claims 1-5, 7-11 and 18-20 are under prosecution.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-11 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bengtsson (U.S. Patent No. 6,078,390, filed 4 May 1998) in view of Rava et al (U.S. Patent No. 5,874,219, filed 9 April 1996).

Art Unit: 1634

Regarding Claim 1, Bengtsson teaches a method comprising: scanning an interrogating light across multiple sites on an array package which scanned sites include multiple features of the array; detecting signals from respective scanned sites emitted in response to the interrogating light; and decreasing (turning off) the interrogating light power for a first site on the array package during the array scanning (Column 8, lines 11-17) wherein the first site is outside an area occupied by the array (i.e. calibration area, Column 6, lines 23-43, Column 8, line 17 defined as adjacent pixels or adjacent scan lines, Column 7, lines 23-25 and 32-35) and (Column 6, line 1-Column 7, line 60). Bengtsson teaches the method wherein the multiple sites on the array are elements arranged in the commonly known microarray (Column 5, lines 28-31) but they do not specifically teach their microarray includes an addressable array of multiple features of different moieties. However, microarray including an addressable array of multiple features of different moieties were well known in the art at the time the claimed invention was made as taught by Rava et al (Abstract). Rava et al teach a similar method comprising: scanning an interrogating light across multiple sites on an array package which scanned sites include multiple features of the array; detecting signals from respective scanned sites emitted in response to the interrogating light (Column 5, lines 40-56) wherein the array includes an addressable array of multiple features of different moieties (Column 2, lines 35-42) and wherein the method provides for high throughput assays thereby improving efficiency of assay performance (Column 4, lines 33-40).

It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to apply the addressable multiple feature arrays of Rava et al to the microarray detection of Bengtsson to thereby detect high throughput assays for the expected benefit of improving efficiency of assay performance as taught by Rava et al (Column 4, lines 33-40).

Art Unit: 1634

Regarding Claim 2, Bengtsson teaches the method wherein the interrogating light power is reduced based on a determination that the emitted signal would exceed a predetermined value (Column 2, lines 22-39 and Column 6, lines 44-64).

Regarding Claim 3, Bengtsson teaches the method wherein the interrogating light power is increased based on a determination that the emitted signal will be below a predetermined value (Column 2, lines 22-39 and Column 6, lines 44-64).

Regarding Claim 4, Bengtsson teach the method wherein the determination is based on the emitted signal detected from the first site (Column 6, lines 23-29).

Regarding Claim 5, Bengtsson teach a method comprising scanning interrogating light across multiple sites of an array detecting signal from respective scanned sites emitted in response to the light and altering the power of the interrogating light for a first site which is an array feature and wherein interrogating light power is altered based on the signal emitted from the first site when the light initially illuminates the first site i.e. the power modulator turns the lasers off for some fraction of time during the scanning (Column 8, lines 11-23).

Regarding Claim 6, Bengtsson teaches the method wherein the first site is an array feature (Column 5, lines 27-43).

Regarding Claim 7, Bengtsson teaches a method comprising: calibrating an interrogating light power versus a control signal characteristic from a light system which provides the interrogating light of a power which varies in response to the control signal characteristic; scanning an interrogating light across multiple sites on an array package which scanned sites include multiple features of the array; detecting signals from respective scanned sites emitted in response to the interrogating light; and altering the interrogating light power for a first site on the array package during the scanning step (Column 8, lines 11-23) based on location of the first site or on a determination that the emitted signal from the first site will be outside a predetermined range absent the altering (Column 6, line 1-Column 7, line 60).

Bengtsson teaches the method wherein the multiple sites on the array are elements arranged

Art Unit: 1634

in the commonly known microarray (Column 5, lines 28-31) but they do not specifically teach their microarray includes an addressable array of multiple features of different moieties. However, microarray including an addressable array of multiple features of different moieties were well known in the art at the time the claimed invention was made as taught by Rava et al (Abstract). Rava et al teach a similar method comprising: scanning an interrogating light across multiple sites on an array package which scanned sites include multiple features of the array; detecting signals from respective scanned sites emitted in response to the interrogating light (Column 5, lines 40-56) wherein the array includes an addressable array of multiple features of different moieties (Column 2, lines 35-42) and wherein the method provides for high throughput assays thereby improving efficiency of assay performance (Column 4, lines 33-40).

It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to apply the addressable multiple feature arrays of Rava et al to the microarray scanning of Bengtsson to thereby scan and detect high throughput assays for the expected benefit of improving efficiency of assay performance as taught by Rava et al (Column 4, lines 33-40).

Regarding Claim 8, Bengtsson teach the method wherein a microarray is scanned (Column 5, lines 27-67) but they do not teach that their scanning is repeated for each of multiple array packages. However, Rava et al teach the similar method wherein multiple arrays are scanned (Column 4, lines 24-30 and Column 5, lines 40-56) and wherein the method provides for high throughput assays thereby improving efficiency of assay performance (Column 4, lines 33-40).

It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to apply the multiple array scanning of Rava et al to the microarray scanning of Bengtsson to thereby scan and detect high throughput assays for the expected benefit of improving efficiency of assay performance as taught by Rava et al (Column 4, lines 33-40).

Art Unit: 1634

Regarding Claim 9, Bengtsson teaches the method wherein the light system includes a light source and an optical attenuator through which light from the source passes to provide the interrogating light and wherein the control signal comprises a signal from the optical attenuator which provides a variable attenuation in response to the characteristic of the control (Column 3, line 32-Column 4, line 7).

Regarding Claim 10, Bengtsson teaches the method wherein the interrogating light power is reduced based on a determination that the emitted signal would exceed a predetermined value (Column 2, lines 22-39 and Column 6, lines 44-64).

Regarding Claim 11, Bengtsson teach the method wherein the determination is based on the emitted signal detected from the first site (Column 6, lines 23-43).

Regarding Claim 18, Bengtsson teaches a method comprising scanning an interrogating light across multiples sites on an array package (microarray), detecting signals from scanned sites emitted in response to interrogating light and altering power of interrogating light (using power modulator) for a first site during array scanning based determining that the emitted signal will be outside a predetermined intensity range wherein the interrogating is altered during a row scan of the interrogating light (Column 8, lines 11-23).

Regarding Claim 19, Bengtsson et al teaches the method the microarray is arranged in rows (Fig. 2 and Column 28-40). Furthermore, Rava provide motivation for providing microarray having the row arrangement i.e. instrumentations exists for handing and reading this format and hence using the known format does not require extensive re-engineering (Column 8, lines 51-56 and Column 10, lines 40-44). It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to apply the row arrangement of Rava et al to the microarray of Bengtsson et al based on the advantages taught by Rava et al i.e. instrumentations exists for handing and reading this format and hence using the known format does not require extensive re-engineering (Column 8, lines 51-56).

Art Unit: 1634

Regarding Claim 19, Bengtsson teaches line by line scanning (Fig. 3) which clearly suggests row by row scanning and Rava et al teach that technology exists for reading microarrays arranged in rows (Column 10, lines 40-44). It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to read the microarray of Bengtsson by scanning row by row as they suggest based on the availability of technologies for reading microarrays arranged in row format as taught by Rava (Column 10, lines 40-44).

Response to Arguments

4. Applicant argues that Bengtsson does not teach or suggest decreasing interrogating light power. The argument has been considered but is not found persuasive because the claimed “decreasing” encompasses the turning off of Bengtsson (Column 8, lines 11-14). Furthermore, Bengtsson clearly teach decreasing power during calibration at a calibration area (e.g. Column 6, lines 49-55) wherein the first site is calibration area i.e. “array” distinct from the “micro-array” (Column 6, lines 23-25) and hence the first site is outside the area occupied by the array.

Applicant argues that Bengtsson does not teach altering the power when the light initially illuminates the first site so that useful data can still be obtained from that feature. The argument has been considered but is not found persuasive. Bengtsson teaches an embodiment wherein the sample dots within the microarray are illuminated for calibrations (Column 2, lines 40-61 and Column 6, line 25) and wherein the power is turned off during scanning and hence as light initially illuminates the site (Column 8, lines 11-24). In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., useful data can still be obtained from the feature i.e. first site) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Art Unit: 1634

Applicant argues that Bengtsson does not teach calibrating light power versus as control signal characteristic. The argument has been considered but is not found persuasive because Bengtsson teaches calibrating by comparing detected signals to a “maximum data signal value” (e.g. Column 2, lines 22-39) wherein following comparison, the power of the illuminating light is altered. The instant claim requires “calibrating an interrogating light power versus a control signal characteristic, from a light system which provides the interrogating light of a power which varies in response to the control signal characteristic”. The claimed “control signal characteristic” encompasses the maximum data signal value of Bengtsson because they alter their power in response to the comparison.

Applicant further argues that while Bengtsson teaches calibration, Bengtsson does not teach calibration during subsequent scanning procedures. The argument has been considered but is not found persuasive because, as stated above, Bengtsson teach calibration during scanning and multiple calibrations (e.g. Column 8, lines 11-24).

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1634

Conclusion

6. No claim is allowed.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BJ Forman whose telephone number is (571) 272-0741. The examiner can normally be reached on 6:00 TO 3:30.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on (571) 272-0782. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.


BJ Forman, Ph.D.
Primary Examiner
Art Unit: 1634
July 12, 2004